





OUR PASSION SINCE

1864



THE ATC ATD PISTOL FAMILY FOR

THOSE WHO

CARE

THE PROFESSIONALS



THOSE WHO

DARE

THE PREPARED



THOSE WHO

FLARE

THE THRILLED



THOSE WHO
CARE

ATd FAMILY

THOSE WHO
DARE

ATc FAMILY

THOSE WHO
FLARE



THOSE WHO
CARE

THOSE WHO
DARE

THOSE WHO
FLARE



ATd FAMILY

ATc FAMILY

ATD FAMILY



AL/STEEL

FEATURES

- DA/SA system
- OR optic ready
- BITEY polymer grip
- MAGWELL tactical
- AMBI levers/button
- AMBI manual safety
- DECOCKING lever
- COMPACT 4" barrel
- 18rnd

ATD COMPACT



AL/STEEL

FEATURES

- DA/SA hand tuned system
- OR optic ready
- BITEY polymer grip
- MAGWELL tactical
- AMBI levers/button
- AMBI manual safety
- DECOCKING lever
- COMPACT 4" barrel
- INT. COMPENSATOR
- 18rnd / 20rnd

ATD COMPACT COMP

ATC FAMILY



STAINLESS

FEATURES

- DA/SA PRE hand tuned system
- HAND FITTED parts with min. tolerances in custom quality
- OR optic ready
- HEAVY MATCH barrel
- BITEY 3D-printed grip
- JETFUNNEL sport
- AMBI levers/button
- AMBI manual safety
- DECOCKING lever integrated
- THUMB REST lever
- 20rnd

ATC BASE 5"



STAINLESS

FEATURES

- SAO PRE hand tuned system
- HAND FITTED parts with min. tolerances in custom quality
- OR optic ready
- SKELETONIZED slides
- FULLY ADJ. trigger
- HEAVY MATCH barrel
- JETFUNNEL sport
- AMBI levers/button
- AMBI manual safety
- DECOCKING lever integrated
- THUMB REST lever
- 20rnd

ATC ROCK 5"/6"

ATD FAMILY



999,- €_{NET}

ATD COMPACT



1.125,- €_{NET}


ATD COMPACT COMP

ATC FAMILY



1.666,- €_{NET}

ATC BASE 5"



5" 2.083 €_{NET}

6" 2.166 €_{NET}

ATC ROCK 5"/6"



ATD FAMILY PROTECTION

ATd COMPACT
AL / STEEL DA / SA



COMPACT



ATd COMPACT
SELFDEFENSE



BDS/DBS /BDMP/IPSC

FEATURES

- DA/SA trigger system
- OR/optic ready
(6 different adapters in the box)
- Bitey tactical polymer grip
- Tactical jetfunnel/short
- Ambi mag release button
- Ambi manual safety
- Compact




TECHNICAL DATA

ARTICLE CODE	CGAX019603123 (ATD COMPACT)
CALIBER/BARREL LENGTH	9x19mm/101mm (3.9")
DIMENSIONS W/18RD/MAG(LxHxW)	190x143x37 ±0,5mm
WEIGHT W/18RD/MAG	868 g ±15g
MAG CAPACITY	18/20RDS
MAG RELEASE	Ambidextrous
TRIGGER SYSTEM	DA/SA
TRIGGER FORCE	SA:25N ±3N/DA:50N ±3N
SERRATIONS	Front/rear standard
INDICATION	Chamber indicator
FRAME	Aluminium
SLIDE	Nitrocarburized steel
SIGHTS REAR/FRONT	Black serratern iron/iron white dot
BARREL	Cold hammer forged
MIN. PRECISION* 25m/STD AMMO	50 mm + caliber diameter
COLOR OPTIONS	BLACK* OTHER COLORS**



ATd COMPACT

BASICS



AGRESSIVE REAR SERRATIONS
AGRESSIVE LADERILLEN

BITEY „GIRAFFE“ POLY GRIP/M
BISSIGER „GIRAFFE“ POLY GRIFF/M

„EASY CLICK“ JETFUNNEL- SHORT
„EASY CLICK“ MAGAZINTUNNEL - KURZ



STEEL FRONT SIGHT
STAHL KORN

CHAMBER INDICATOR
KAMMER LADENANZEIGE

OPTIC READY
OPTIC READY

STEEL REAR SIGHT
STAHL KIMME

1913 PICCATINNY RAIL
1913 MONTAGESCHIENE

COLD HAMMER FORGED TAC BARREL
KALGEHAMMERTER TAC LAUF



TACTICAL FRONT SERRATIONS
TAKTISCHE FRONT LADERILLEN

ERGO DISSASSEMBLY LEVER
ERGO ZERLEGEHEBEL

X-TRA HEAVY HAMMER
X-TRA SCHWERER HAMMER

AMBI MANUAL SAFETY
BEIDSEITIGE MANUELLE SICHERUNG

HAMMER SPEED DECOCK LEVER
HAMMER SPEED ENTSPANNHEBEL

AMBI MAG RELEASE BUTTON
BEISEITIG BEDIENBARER MAGAZINKNOPF

DA/SA TRIGGER SYSTEM
DA/SA ABZUGSYSTEM

MODULAR TACTICAL BEAVERTAIL/S
WECHSELBARE TAKTISCHE HANDAUFLAGE/S

PISTOL SLING READY
PISTOLENSICHERUNG MOGLICH



ATB COMPACT COMP
AL / STEEL DA / SA



COMPACT COMP



COMMERCIAL / SPORT

ATd COMPACT COMP

SELFDEFENSE



BDS/DBS /BDMP/IPSC

FEATURES

- Integrated compensator
- Pre-Tuned DA/SA trigger system
- OR/optic ready (6 different adapters)
- Tactical jetfunnel/short
- Ambi mag release button
- Ambi manual safety
- Modular system




TECHNICAL DATA

ARTICLE CODE	CGAX019603124 (ATD COMPACT COMP)
CALIBER/BARREL LENGTH	9x19mm/101mm (3.9")
DIMENSIONS W/18RD/MAG(LxHxW)	195x143x37 ±0,5mm
WEIGHT W/18/ RD/MAG	869 g ±15g
MAG CAPACITY	18/20RDS
MAG RELEASE	Ambidextrous
TRIGGER SYSTEM	DA/SA
TRIGGER FORCE	SA:18N ±3N/DA:45N ±3N
SERRATIONS	Front/rear standard
INDICATION	Chamber indicator
FRAME	Aluminium
SLIDE	Nitrocarburized steel
SIGHTS REAR/FRONT	Black serratern iron/iron white dot
BARREL	Cold hammer forged
MIN. PRECISION* 25m/STD AMMO	50mm+caliber diameter
COLOR OPTIONS	BLACK* OTHER COLORS**



ATd COMPACT COMP

BASICS



AGRESSIVE REAR SERRATIONS
AGRESSIVE LADERILLEN

BITEY „GIRAFFE“ POLY GRIP/M
BISSIGER „GIRAFFE“ POLY GRIFF/M

„EASY CLICK“ JETFUNNEL- SHORT
„EASY CLICK“ MAGAZINTUNNEL - KURZ

STEEL FRONT SIGHT
STAHL KORN

INTEGRATED COMPENSATOR
INTEGRIETER KOMPENSATOR

CHAMBER INDICATOR
KAMMER LADEANZEIGE

OPTIC READY
OPTIC READY

STEEL REAR SIGHT
STAHL KORN

COMPENSATED COLD HAMMER FORGED TAC BARREL
GEPROTETER KALGEHÄMMERTER TAC LAUF

1913 PICCATINNY RAIL
1913 MONTAGESCHIENE



TACTICAL FRONT SERRATIONS
TAKTISCHE FRONT LADERILLEN

ERGO DISSASSEMBLY LEVER
ERGO ZERLEGEHEBEL

X-TRA HEAVY HAMMER
X-TRA SCHWERER HAMMER

AMBI MANUAL SAFETY
BEIDSEITIGE MANUELLE SICHERUNG

HAMMER SPEED DECOCK LEVER
HAMMER SPEED ENTSPANNHEBEL

AMBI MAG RELEASE BUTTON
BEISEITIG BEDIENBARER MAGAZINKNOPF

DA/SA TRIGGER SYSTEM
DA/SA ABZUGSYSTEM

MODULAR TACTICAL BEAVERTAIL/S
WECHSELBARE TAKTISCHE HANDAUFLAGE/S

PISTOL SLING READY
PISTOLENSICHERUNG MÖGLICH



ATD COMPACT

COMPARISON



TECHNICAL DATA

ARTICLE CODE	CGAX019603123 (ATD COMPACT)	CGAX019603124 (ATD COMPACT COMP)
CALIBER/BARREL LENGTH	9x19mm/101mm (3.9")	9x19mm/101mm (3.9")
DIMENSIONS W/18RD/MAG(LxHxW)	190x143x37 ±0,5mm	195x143x37 ±0,5mm
WEIGHT W/18RD/MAG	868g ±15g	869g ±15g
MAG CAPACITY	18/20RDS	18/20RDS
MAG RELEASE	Ambidextrous	Ambidextrous
TRIGGER SYSTEM	DA/SA	DA/SA
TRIGGER FORCE	SA:25N ±3N/DA:50N ±3N	SA:18N ±3N/DA:45N ±3N
SERRATIONS	Front/rear standard	Front/rear standard
INDICATION	Chamber indicator	Chamber indicator
FRAME	Aluminium	Aluminium
SLIDE	Nitrocarburized steel	Nitrocarburized steel
SIGHTS REAR/FRONT	Black serratern iron/iron white dot	Black serratern iron/iron white dot
BARREL	Cold hammer forged	Cold hammer forged
MIN. PRECISION* 25m/STD AMMO	50mm + caliber diameter	50mm+caliber diameter

COLOR OPTIONS

● BLACK* ○ OTHER COLORS**

What are the main differences between these siblings? Both stand for excellent manufacturing quality, reliability, ergonomics, modularity and outstanding precision.

They look almost identical – like twins. But there are small differences that precisely meet the different needs of their owners.

ATD Compact, the down-to-earth model. Reliable, practical and unpretentious, goal-oriented. Always with you, when needed.

ATD COMPACT COMP, the lively model, always ready and, even under extreme stress, fast, steady and accurate.

One is more of a workhorse, the other, sportier.





ATD FAMILY

MAGS/GRIPS/HOLSTERS

AT_D FAMILY
MAGAZINES



TECHNICAL DATA

ARTICLE CODE				
MAG CAPACITY	10 limited	18	18+2/20	18+2/20
FLOORPLATE	polymer	polymer	polymer	aluminium



ATd GRIPS

FACTORYWISE



DA/SA „GIRAFFE“ GRIP POLYMER/M
DA/SA „GIRAFFE“ GRIFF POLYMER/M

DOWNLOAD CAD DATA:



OPEN SOURCE 3D



DA/SA „GIRAFFE“ GRIP 3D S/M/L
DA/SA „GIRAFFE“ GRIFF 3D S/M/L

POSSIBLE SUPPLIERS:

WWW.CERAKOTEEU.COM/FIND-APPLICATOR
WWW.FKM.NET
WWW.SCULPTEO.COM
WWW.MATERIALIZE.COM

ATd HOLSTERS



ATD ATC LEATHER L1 WB HOLSTER
RH



ATD ATC SOFT IWB HOLSTER
RH



ATD ATC KYDEX L1 OR HOLSTER SPEED & CLOSED
RH



HOLSTERS FIT INTERFACES
RADAR1957.COM





ATc SPORT FAMILY

ATc BASE/ROCK



ATC SPORT FAMILY

BASE/ 5"

ATC 5" BASE
STAINLESS STEEL DA/SA



BASE 5"



ATC 5" BASE

DA / SA



IPSC/PCC

FEATURES

- All-Stainless-Steel pistol
- Hand-tuned DA/SA trigger system
- Hand-fitted parts with min. tolerances in custom quality
- Heavy Match cold hammer-forged barrel
- Decocking function integrated into the safety lever
- Mag release button operable ambidextrous
- Manual safety ambidextrous
- OR/optic ready with LPA sports sight
- Ergonomic 3D-printed, sweat resistant, PA12 grip panels
- Easy-click jetfunnel
- Modular accessory system



TECHNICAL DATA

ARTICLE CODE	CGAX019603103 (ATC 5" BASE)
CALIBER/BARREL LENGTH	9x19mm/127mm (5.0")
DIMENSIONS W/20RD/MAG(LxHxW)	216x150x43 ±0,5mm
WEIGHT W/18RD/MAG	1228g ±15g
MAG CAPACITY	18/20RDS
MAG RELEASE	Ambidextrous
TRIGGER SYSTEM	DA/SA
TRIGGER FORCE	SA:17N ±3N/DA:42N ±3N
SERRATIONS	Front/rear speed
INDICATION	/
FRAME	Stainless steel
SLIDE	Stainless steel
SIGHTS FRONT/REAR	Adjustable LPA/iron white dot
BARREL	Cold hammer forged
MIN. PRECISION* 25m/STD AMMO	50mm+caliber diameter
COLOR OPTIONS	GREY* OTHER COLORS**



ATc 5" BASE

BASICS



AGRESSIVE REAR SERRATIONS
AGRESSIVE LADERILLEN

BITEY „HEXAGON“ POLY GRIP/M
BISSIGER „HEXAGON“ POLY GRIFF/M

ANTI REFLEX STRUCTURE
ANTI REFLEX STRUCKTUR

STEEL FRONT SIGHT
STAHL KORN

„EASY CLICK“ JETFUNNEL- SHORT
„EASY CLICK“ MAGAZINTUNNEL - KURZ

COLD HAMMER FORGED HEAVY MATCH BARREL
KALGEHAMMERTER SCHWERER SPORTLAUF

1913 PICCATINNY RAIL
1913 MONTAGESCHIENE

OPTIC READY
OPTIC READY

LPA SPORT SIGHT
LPA SPORT VISIERUNG

SPEED FRONT SERRATIONS
SPEED FRONT LADERILLEN

ERGO DISSASSEMBLY LEVER
ERGO ZERLEGEHEBEL

X-TRA SPEED HAMMER
X-TRA SPEED HAMMER

AMBI MANUAL SAFETY & DECOCKING LEVER
BEIDSEITIGE MANUELLE SICHERUNG & ENTSPANNHEBEL



AMBI MAG RELEASE BUTTON
BEISEITIG BEDIENBARER MAGAZINKNOPF

TUNED DA/SA TRIGGER SYSTEM
OPTIMIERTES DA/SA ABZUGSYSTEM

MODULAR BEAVERTAIL/S
WECHSELBARE HANDAUFLAGE/S





ATC SPORT FAMILY
ROCK 5" / 6"

ATC 5" ROCK
STAINLESS STEEL SAO



ROCK 5"



ATC 5" ROCK
SAO



IPSC/PCC

FEATURES

- All-Stainless-Steel pistol
- Hand-tuned SAO full adjustable trigger system
- Full adjustable trigger / Ergonomics / Reset / Trigger weight
- Hand-fitted parts with min. tolerances in custom quality
- Heavy Match cold hammer-forged barrel
- Skeletonized Slide
- Sport paddle ambidextrous mag release button
- Manual safety ambidextrous
- Fully adjustable ergonomics
- OR/optic ready with LPA sports sight and fiber front side
- Ergonomic 3D-printed PA12/Cerakote grip panels
- Easy-click Sport Jetfunnel / long
- Modular accessory system
- Target/Precision proof



TECHNICAL DATA

ARTICLE CODE	CGAX019603106 (ATC 5" ROCK)
CALIBER/BARREL LENGTH	9x19mm/127mm (5.0")
DIMENSIONS W/20RD/MAG(LxHxW)	221x150x43 ±0,5mm
WEIGHT W/18RD/MAG	1228g ±15g
MAG CAPACITY	18/20RDS
MAG RELEASE	Ambidextrous
TRIGGER SYSTEM	SAO
TRIGGER FORCE	SA:14N ±3N
SERRATIONS	Front/rear speed
INDICATION	/
FRAME	Stainless steel
SLIDE	Stainless steel
SIGHTS FRONT/REAR	Adjustable LPA/iron fiber optic
BARREL	Cold hammer forged
MIN. PRECISION* 25m/COMM AMMO	25mm+caliber diameter
COLOR OPTIONS	☒ GREY* ☐ OTHER COLORS**



ATC 6" ROCK
STAINLESS STEEL SAO



ROCK 6"



ATC 6" ROCK

SAO



IPSC/PCC

FEATURES

- All-Stainless-Steel pistol
- Hand-tuned SAO full adjustable trigger system
- Full adjustable trigger / Ergonomics / Reset / Trigger weight
- Hand-fitted parts with min. tolerances in custom quality
- Heavy Match cold hammer-forged barrel
- Less than 1300g
- Sight Radius 200mm
- Skeletonized Slide
- Sport paddle ambidextrous mag release button
- Manual safety ambidextrous
- Fully adjustable ergonomics
- OR/optic ready with LPA sports sight and fiber front side
- Ergonomic 3D-printed PA12 PA12/Cerakote grip panels
- Easy-click Sport Jetfunnel / long
- Modular accessory system
- Target/Precision proof



TECHNICAL DATA

ARTICLE CODE	CGAX019603107 (ATC 6" ROCK)
CALIBER/BARREL LENGTH	9x19mm/153mm (6.0")
DIMENSIONS W/20RD/MAG(LxHxW)	221x150x43 ±0,5mm
WEIGHT W/18RD/MAG	1282g ±15g
MAG CAPACITY	18/20RDS
MAG RELEASE	Ambidextrous
TRIGGER SYSTEM	SAO
TRIGGER FORCE	SA:14N ±3N
SERRATIONS	Front/rear speed
INDICATION	/
FRAME	Stainless steel
SLIDE	Stainless steel
SIGHTS FRONT/REAR	Adjustable LPA/iron fiber optic
BARREL	Cold hammer forged
MIN. PRECISION* 25m/COMM AMMO	25mm+caliber diameter
COLOR OPTIONS	☒ GREY* ☐ OTHER COLORS**



ATc 5" 6"

BASICS



AGRESSIVE SPORT REAR SERRATIONS
AGRESSIVE SPORT LADERILLEN

BITEY „TITANIUM“ POLY GRIP/M
BISSIGER „TITANIUM“ POLY GRIFF/M

„EASY CLICK“ JETFUNNEL- LONG
„EASY CLICK“ MAGAZINTUNNEL - LANG



FIBER FRONT SIGHT
FIBER KORN

SKELETONIZED SLIDE
SKELETTIERTER VERSCHLUSS

OPTIC READY
OPTIC READY

LPA SPORT SIGHT
LPA SPORT VISIERUNG

COLD HAMMER FORGED HEAVY MATCH BARREL
KALGEHAMMERTER SCHWERER SPORTLAUF

1913 PICCATINNY RAIL
1913 MONTAGESCHIE



SPEED FRONT SERRATIONS
SPEED FRONT LADERILLEN

ERGO DISSASSEMBLY LEVER
ERGO ZERLEGEHEBEL

X-TRA SPEED HAMMER
X-TRA SPEED HAMMER

AMBI MANUAL SAFETY ONLY LEVER
BEIDSEITIGER MANUELLER SICHERUNGHEBEL

ADJ SPORT SAO TRIGGER SYSTEM
VST. SPORT SAO ABZUGSSYSTEM

MODULAR ERGONOMIC BEAVERTAIL /L
WECHSELBARE ERGONOMISCHE HANDAUFLAGE/L



AMBI SPORT PADDLE MAG RELEASE BUTTON
BEIDSEITIG BEDIENBARER SPORT MAGAZINKNOPF



ATc FAMILY

ERGONOMICS



INTERCHANGEABLE TRIGGER S/M/L
WECHSELBARE ABZUGZÜNGEL S/M/L



ERGONOMIC „TITANIUM“ GRIPS S/M/L
ERGONOMISCHE „TITANIUM“ GRIFFE S/M/L




ERGONOMIC CONTROLS & TAKEDOWN LEVER
ERGONOMISCHE BEDIENELEMENTE & DEMONTAGEHEBEL

INTERCHANGEABLE JETFUNNELS „EASY-CLICK“
WECHSELBARE MAGAZINTUNNEL „EASY CLICK“



ERGONOMIC AMBI SPEED MAG PADDLE
ERGONOMISCHE SPEED-MAGAZINDRÜCKERPLATTE

INTERCHANGEABLE BEAVERTAIL S/M/L
WECHSELBARE HANDAUFLAGEN S/M/L



ATc 5" 6"

COMPARISON



TECHNICAL DATA

ARTICLE CODE	CGAX019603106 (ATC 5" ROCK)	CGAX019603107 (ATC 6" ROCK)
CALIBER	9x19mm/127mm (5.0")	9x19mm/153mm (6.0")
DIMENSIONS	221x150x43 ±0,5mm	221x150x43 ±0,5mm
WEIGHT W/17/RD/MAG	1228g ±15g	1282g ±15g
MAG CAPACITY	18/20RDS	18/20RDS
MAG RELEASE	Ambidextrous	Ambidextrous
TRIGGER SYSTEM	SAO	SAO
TRIGGER FORCE	SA:14N ±3N	SA:14N ±3N
SERRATIONS	Front/rear speed	Front/rear speed
INDICATION	/	/
FRAME	Stainless steel	Stainless steel
SLIDE	Stainless steel	Stainless steel
SIGHTS	Adjustable LPA/iron fiber optic	Adjustable LPA/iron fiber optic
BARREL	Cold hammer forged	Cold hammer forged
MIN. PRECISION*	25mm+caliber diameter	25mm+caliber diameter

COLOR OPTIONS

☒ GREY* ☐ OTHER COLORS



STEYR ARMS offers every shooter and sportsman the perfect tool.

STEYR ARMS has listened and worked with the best sports shooters and users to create this comprehensive performance package.

The shooter will find a solution for every need, every application, and every challenge.

Compare for yourself!






ATc FAMILY

ACCESSORIES / PARTS

ATc FAMILY

MAGAZINES



TECHNICAL DATA

ARTICLE CODE				
MAG CAPACITY	10 limited	18	18+2/20	18+2/20
FLOORPLATE	polymer	polymer	polymer	aluminium



ATc GRIPS



FACTORYWISE




ATC SAO & DA/SA „HEXAGON“ GRIP 3S S/M/L
DA/SA „HEXAGON“ GRIFF 3S S/M/L



ATC SAO & DA/SA „TITANIUM“ GRIP 3S S/M/L
DA/SA „TITANIUM“ GRIFF 3S S/M/L

OPEN SOURCE 3D



ATC SAO & DA/SA „BLANK“ GRIP 3S S/M/L
DA/SA „BLANK“ GRIFF 3S S/M/L



ATC SAO & DA/SA „HEXAGON“ GRIP 3S S/M/L
DA/SA „HEXAGON“ GRIFF 3S S/M/L



ATC SAO & DA/SA „TITANIUM“ GRIP 3S S/M/L
DA/SA „TITANIUM“ GRIFF 3S S/M/L

DOWNLOAD CAD DATA:



POSSIBLE SUPPLIERS:


WWW.CERAKOTEEU.COM/FIND-APPLICATOR
WWW.FKM.NET
WWW.SCULPTEO.COM
WWW.MATERIALIZE.COM





ATD ATC PRECISION GUARANTEE

STEYR ARMS PRECISION
OUR PROMISE YOUR SUCCESS



For the precision-oriented shooter, this pistol is an impressive competitor with its unmatched accuracy at various distances. With advanced sighting systems and finely tuned mechanics, every shot promises a perfect hit. Regardless of the division or the challenge, SETYR ARMS pistols will rise to any occasion and give you the opportunity to conquer the shooting range and emerge victorious with their unmatched accuracy. Your goal, your skill, and our pistols – unleash the power of ultimate synergy.



TECHNICAL DATA

			
ARTICLE CODE	CGAX019603111 (ATD COMPACT)	CGAX019603112 (ATD COMPACT COMP)	CGAX019603103 (ATC 5" BASE)
ARTICLE CODE US	CGAX019603123	CGAX019603124	CGAX019603120
TRIGGER PULL	SA:25N±3N/DA:50N±3N	SA:18N±3N/DA:45N±3N	SA:17N±3N/DA:42N±3N
TRIGGER RESET	FW -5mm	FW -5mm	FW -2,5mm
WEIGHT W/EMPTY/MAG	PL18RDS ~1089gr	PL18RDS ~1090gr	PL18RNS ~1141gr
SIGHT RADIUS	150mm	140mm	180mm
PRECISION GUARANTEE 25m	50mm+caliber diameter	50mm+caliber diameter	50mm+caliber diameter
PRECISION GUARANTEE 50m	/	/	/
SHOOTING DISCIPLINES	IPSC / BIANCHI / PISTOL 1500 /OPEN/...	IPSC / BIANCHI / PISTOL 1500 /OPEN/...	IPSC / BIANCHI / PISTOL 1500 /OPEN/...

		
ARTICLE CODE	CGAX019603106 (ATC ROCK 5")	CGAX019603107 (ATC ROCK 6")
ARTICLE CODE US	CGAX019603121	CGAX019603122
TRIGGER PULL	SA:14N±3N	SA:14N±3N
TRIGGER RESET	FW ~1,5MM / ±FULL ADJ.	FW ~1,5MM / ±FULL ADJ.
WEIGHT W/EMPTY/MAG	AL20RND ~1245gr	AL20RND ~1299gr
SIGHT RADIUS	180mm	200mm
PRECISION GUARANTEE 25m	25mm+caliber diameter	25mm+caliber diameter
PRECISION GUARANTEE 50m	50mm+caliber diameter	50mm+caliber diameter
SHOOTING DISCIPLINES	IPSC / BIANCHI / PISTOL 1500 /OPEN/...	IPSC / BIANCHI / PISTOL 1500 /OPEN/...

Tested with:
- S&B FMJ, 9mm, 124grs 8.0g
- Fiocchi, 9mm, Top Target Line, RNCP 124grs
- Geco, 9mm FMJ, 124grs 8.0g



ATD ATC FAMILY COMPARISON



AT_D AT_C FAMILY
COMPARISON



TECHNICAL DATA

ARTICLE CODE	CGAX019603123 (ATD COMPACT)	CGAX019603124 (ATD COMPACT COMP)	CGAX019603103 (ATC 5" BASE)	CGAX019603106 (ATC 5" ROCK)	CGAX019603107 (ATC 6" ROCK)
CALIBER	9x19mm/101mm (3.9")	9x19mm/101mm (3.9")	9x19mm/127mm (5.0")	9x19mm/127mm (5.0")	9x19mm/153mm (6.0")
DIMENSIONS	190x143x37 ±0,5mm	195x143x37 ±0,5mm	216x150x43 ±0,5mm	221x150x43 ±0,5mm	221x150x43 ±0,5mm
WEIGHT W/17/RD/MAG	868g ±15g	869g ±15g	1228g ±15g	1228g ±15g	1282g ±15g
MAG CAPACITY	18/20RDS	18/20RDS	18/20RDS	18/20RDS	18/20RDS
MAG RELEASE	Ambidextrous	Ambidextrous	Ambidextrous	Ambidextrous	Ambidextrous
TRIGGER SYSTEM	DA/SA	DA/SA	DA/SA	SAO	SAO
TRIGGER FORCE	SA:25N±3N/DA:50N±3N	SA:18N±3N/DA:45N±3N	SA:17N±3N/DA:42N±3N	SA:14N ±3N	SA:14N ±3N
SERRATIONS	Front/rear standard	Front/rear standard	Front/rear speed	Front/rear speed	Front/rear speed
INDICATION	Chamber indicator	Chamber indicator	/	/	/
FRAME	Aluminium	Aluminium	Stainless steel	Stainless steel	Stainless steel
SLIDE	Nitrocarburized steel	Nitrocarburized steel	Stainless steel	Stainless steel	Stainless steel
SIGHTS	Black serrated iron/iron white dot	Black serratern iron/iron white dot	Adjustable LPA/iron white dot	Adjustable LPA/iron fiber optic	Adjustable LPA/iron fiber optic
BARREL	Cold hammer forged	Cold hammer forged	Cold hammer forged	Cold hammer forged	Cold hammer forged
MIN. PRECISION*	50mm + caliber diameter	50mm+caliber diameter	50mm+caliber diameter	25mm+caliber diameter	25mm+caliber diameter





OUR PASSION SINCE

1864



MEDIA & PICTURE DOWNLOAD

SHOOT YOUR MEDIA PACKAGE HERE

1864



ATD MODULARITY/PARTS



ATD FAMILY

ACCESSORIES / PARTS

ATD COMPACT
ACCESSORIES


TR COMPACT BARREL M13,5X1 LH 1/2-28 UNEF
TR COMPACT LAUF KOMPENSATOR M13,5X1LH 1/2-28 UNEF



MICRO COMPENSATOR M13,5X1
MIKRO KOMPENSATOR M13,5X1



2 CHAMBER PLUS COMPENSATOR M13,5X1
2 KAMMER PLUS KOMPENSATOR 13,5X1



HARD

MID

SOFT

ATD TRITIUM/LUMINOVA LOW



ATD HIGH SIGHTS



ATD/ATC (4") DA/SA ADJ. TRIGGER SETS
ATD/ATC (4") DA/SA JUS. ABZUG SETS



ATD/ATC SPORT MAG BUTTON SET
ATD/ATC SPORT MAGAZINKNOPF SETS



OR PLATE COMPATIBILITY CHART

TYPE 1	NobleX(Docter Sight)	Eotech&Insight(MRDS)	Vortex(Viper/Venom)	Burris(FastFire)
TYPE 2	Trijicon(RMR/SRO)	Holosun(407C/507C/508T)	Vector Optics(Frenzy 1x22x26 MOS)	Swampfox(Justice 1x27/Liberty 1x22/Kingslayer 1x22)
TYPE 3	Leopold(DeltaPoint Pro)			
TYPE 4	C-More(RTS2/STS2)	Delta Optical Dot(HD 24)	Vortex(Razor)	
TYPE 5	Shield(RMS/SMS)	Holosun(407K/507K)	Swampfox(Sentinel 1x16)	J-Point(MRD)
TYPE 6	Meopta(MeoSight)	Delta Optical MiniDot(HD2	5 MeproLight(MicroRDS)	



S

M

L

ATD/ATD BEAVERTAIL SETS
ATD/ATC HANDAUFLAGE SETS

hard

mid

soft



ATD/ATC HAMMER SPRING SETS
ATD/ATC HAMMERFEDER SETS

ATD/ATC JETFUNNER SETS
ATD/ATC MAGAZINTUNNEL SETS



OPEN SHORT BLK

OPEN LONG BLK

CLOSED SPORT BLK



ATD DA/SA FAMILY

SAO CONVERSION




ATC SAO „HEXAGON“ GRIPS REQUIRED
ATC SAO „HEXAGON“ GRIFFSCHALEN

CONVERT YOUR ATD DA/SA TO SAO

(NO MANUAL SAFETY!)

ATD DA/SA FIREING SYSTEM SET
ATD DA/SA HAMMERSYSTEM SET

ATD SAO FIREING SYSTEM SET
ATD SAO HAMMERSYSTEM SET



ATD DA/SA FIREING & SAFETY SYSTEM

ATD SAO FIREING & SAFETY SYSTEM



ATD DA/SA FUNCTION:

1. MANUAL SAFETY UP
2. DECOCKING LEVER DOWN
3. HAMMER DECKOCKS



ATD SAO FUNCTION:

1. MANUAL SAFETY/DECOCK UP
2. POSITION 1SAFE
3. POSITION 2 HAMMER DECKOCKS





ATD 25 TACTICAL OUTLOOK

ATD NEXT LEVEL

OPEN

ATD/ATC 6"WEIGHT ~157GR
ATD/ATC 6"GEWICHT ~157GR

ATD/ATC 5"WEIGHT ~62,5GR
ATD/ATC 5"GEWICHT ~62,5GR

ATD/ATC 3 PICA RAIL
ATD/ATC 3 PICA SCHIENE

ATD/ATC BRIDGE MOUNT SET ~95GR
ATD/ATC BRÜCKENMONTAGE SET ~95GR

ATD/ATC 3 BRIDGE MOUNT INTERFACE
ATD/ATC BRÜCKENMONTAGE INTERFACE

ATD/ATC FOLDING STOCK
ATD/ATC KLAPPSCHAFT





ATc FAMILY HIGH END SPORT SETUP

ATc FAMILY

FINE TUNING



ATC (5" 6") RECOIL BUFFER SPRING SET
ATC (5" 6") BUFFER VERSCHLUSSFEDER SET



ATC (5" 6") TUNGSTON GUIDE ROD
ATC (5" 6") WOLFRAM FEDERFÜHRUNG



ATD/ATC OR PLATE SET
ATD/ATC PLATTEN SET

OR PLATE COMPATIBILITY CHART

TYPE 1	Trijicon(RMR/SRO)	Holosun(407C/507C/508T)	Vector Optics(Frenzy 1x22x26 MOS)	Swampfox(Justice 1x27/Liberty 1x22/Kingslayer 1x22)
TYPE 3	Holosun (HE509T)			



ATD/ATC HAMMER SPRING SETS
ATD/ATC HAMMERFEDER SETS



ATC SLIDE RACKER
ATC SLIDE RACKER



ATD/ATC JETFUNNEL SETS
ATD/ATC MAGAZINTUNNEL SETS



CLOSED SPORT BLK/SLV/ORA



ATc FAMILY
BARRELS & COMPS

TR BARRELS 5" 6" M13,5X1 LH
TR LAUFS 5" 6" M13,5X1 LH




MICRO COMPENSATOR M13,5X1
MICKO COMPENSATOR M13,5X1



2 CHAMBER PLUS COMPENSATOR M13,5X1
2 KAMMER, PLUS KOMPENSATOR 13,5X1



ATc NEXT LEVEL
OPEN ROCK



ATD/ATC 6"WEIGHT ~157GR
ATD/ATC 6"GEWICHT ~157GR

ATD/ATC 5"WEIGHT ~62,5GR
ATD/ATC 6"GEWICHT ~62,5GR

ATD/ATC BRIDGE MOUNT SET ~95GR
ATD/ATC BRÜCKENMONTAGE SET ~95GR

ADJUSTABLE THUMBREST
EINSTELLBARE DAUMENAUFLAGE

ATD/ATC BRIDGE MOUNT INTERFACE
ATD/ATC BRÜCKENMONTAGE INTERFACE



ATc SAO & DA/SA CONVERSION



CONVERT YOUT ATc DA/SA TO SAO AND VS

ATC SAO FIREING SYSTEM SET
ATC SAO HAMMERSYSTEM SET



ATC DA/SA FIREING & SAFETY SYSTEM

ATC SAO FIREING & SAFETY SYSTEM



ATC DA/SA FUNCTION:

1. MANUAL SAFETY/DECOCK UP
2. POSITION 1 SAFE
3. POSITION 2HAMMER DECKOCKS

ATC SAO FUNCTION:

1. MANUAL SAFETY UP
2. SAFE



ATc NEXT LEVEL
FOLDING STOCK



ATD/ATC FOLDING STOCK
ATD/ATC KLAPPSCHAFT





ATC FAMILY ACCESSORIES

ATc HOLSTERS



ATD ATC LEATHER L1 WB HOLSTER
RH



ATD ATC SOFT IWB HOLSTER
RH



ATc KYDEX HOLSTERS



ATD ATC KYDEX L1 OR HOLSTER SPEED & CLOSED
RH



HOLSTERS FIT INTERFACES
RADAR1957.COM



ATc

IPSC HOLSTERS



ATC SPEED HOLSTER
RH/LH



ATd

HOLSTERS



ATC SPEED AL DS MAG HOLSTER
RH/LH

ATc
IPSC HOLSTERS



STEYR ARMS SPONSOR TEAM-SHIRTS



ATc
BOXES & BAGS



ATC ATD PISTOL HARD CASE



ATC ATD RANGE PISTOL B-BACK



OUR PASSION SINCE

1864