



# Product datasheet



A0455000  
828U SILVER 12GA/3" 26" INT. CH. IC/M 375MM EUR

## General information

|                          |                                                     |                       |                                                                                                                                                 |
|--------------------------|-----------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Gauge/Caliber:           | 12                                                  | Weight (Kg) (± 100g): | 2.95000000000000000000                                                                                                                          |
| Recoil pad:              | Small Polyurethane                                  | Stock:                | Hunting with Progressive Comfort system                                                                                                         |
| Stock and Forend Finish: | Grade 3 Oil Walnut Wood with Elegance System finish | Checkering:           | Peacock tail                                                                                                                                    |
| Comb:                    | Low Polyurethane                                    | Drop at comb:         | 35                                                                                                                                              |
| Drop at heel:            | 45,50, 55 (B mounted), 60, 65                       | L.O.P.:               | 375                                                                                                                                             |
| Barrel Lenght:           | 65/26                                               | Packaging:            | Techno-polymer case: drop and cast kit, key for detachable trigger group, kit of chokes and wrench, Ben oil, manual, spare parts list, warranty |
| Barrel Finish:           | Blued glossy                                        | Trigger pull:         | 2.500 (1st trigger); 2.500 (2nd trigger)                                                                                                        |

## OUSBS Details

|                |                                                                    |                        |                                              |
|----------------|--------------------------------------------------------------------|------------------------|----------------------------------------------|
| Chamber:       | 76 mm - 3"                                                         | Cast:                  | LH 3/6 mm /RH 3/6 mm                         |
| Trigger Group: | Detachable                                                         | Bore (mm):             | Power Bore 18,3/18,5                         |
| Rib:           | Ventilated Carbon fibre Flat                                       | No Chokes:             | 5                                            |
| Chokes:        | INTERNAL 70 mm F (*); IM (**); M (***)<br>; IC (****); CYL (*****) | Sight:                 | Short fluorescent red                        |
| Safety:        | Manual                                                             | Action:                | Nickel-plated Aluminum alloy with engravings |
| Forend iron:   | Steel Blued                                                        | Extractors / Ejectors: | Ejectors                                     |

## Product correlations

## COCKING PLATE 828U



90002500

NEEDLE DIN 5402 NRB D. 2 X15,8

90004800

ELASTIC WASHER

90010200

WASHER

90015801

LOCK SCREW 828U

90020400

EXTRACTOR CASTER

90031400

SELF-THREADED SCREW D 4.2X22

90031800

SPRING RET PIN 828U

90032200

FORE-END ADJUSTING SCREW 828U

90032400

FIRING PIN RET PIN 828U

90032900

CONNECTOR PIN SCREW 828U

90033500

SEAR PIN 828U

F0106601

CRIO INTERNAL CHOKE (\*) 12GA

F0107001

CRIO INTERNAL CHOKE (\*\*\*\*\*) 12GA

90003700

ELASTIC PIN

90006000

STOCK RETAINING NUT

90015500

SCREW

90019300

TORX SCREW TX15 M4 X10

90029300

CARTRIDGE DROP LEVER ROTATING PIN

90031700

SCREW

90032100

EXTRACTOR RET PIN 828U

90032300

SAFETY SPRING SCREW 828U

90032800

HOUSING RETAINING PIN 828U

90033000

TRIGGER PIN 828U

90033800

FORE-END SCREW

F0106701

CRIO INTERNAL CHOKE (\*\*) 12GA

F0260600

ACCESSORY KIT 828U BARREL



|                                                                                     |                                                                  |                                                                                     |                                                                  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------|
|    | F0349301<br>SAFETY/SELECTOR ASSEMBLY NICKEL 828U                 |    | F0349503<br>ASS LEVA ARMAMENTO NICHELATO 828U                    |
|    | F0350000<br>PROGRESSIVE COMFORT HOUSING 828U                     |    | F0350100<br>DROP AND CAST SHIM KIT FOR 828U                      |
|    | F0350200<br>CASE 828U                                            |    | F0350400<br>FORE-END ADJUSTING SPRING 828U                       |
|    | F0350501<br>FORE-END IRON ASSEMBLY 828U                          |    | F0353600<br>ACCESSORY KIT 828U ACTION                            |
|    | F0354205<br>TRIGGER/SELECTOR ASSEMBLY 828U                       |    | F0354403<br>TRIGGER ASSEM. GROUP NICH 828U                       |
|    | F0365500<br>DISCONNECTOR ASSEMBLY 828U                           |    | G0020900<br>FLUORESCENT FRONT SIGHT                              |
|  | G0064201<br>SAFETY POSITIONING PIN SPRING MP90S                  |  | G0124000<br>CLIP BUTTON SPRING                                   |
|  | G0133900<br>FIRING PIN SPRING M4                                 |  | G0187500<br>STOCK LOCKING PLATE, DROP 50/55<br>R.H./L.H. (STEEL) |
|  | G0187600<br>STOCK LOCKING PLATE, DROP 45/60<br>R.H./L.H. (STEEL) |  | G0240901<br>STOCK LOCKING PLATE, DROP D 65<br>(12/20/28 GA)      |
|  | G0627400<br>FIELD RIB SCREW 828U                                 |  | G0627500<br>EJECTOR SPRING 828U                                  |
|  | G0627600<br>TRIGGER RETURN / EXTRACTOR SPRING<br>828U            |  | G0627700<br>EJECTOR SPRING GUIDE 828U                            |
|  | G0627800<br>EJECTOR SEAR DETENT 828U                             |  | G0627900<br>EJECTOR PISTON 828U                                  |
|  | G0628201<br>EXTRACTOR ROD 828U                                   |  | G0628400<br>LATCH SPRING HOUSING 828U                            |
|  | G0628501<br>TRIGGER GUARD LATCH 828U                             |  | G0629201<br>SAFETY SPRING 828U                                   |

|                                                                                     |                                                                  |                                                                                     |                                       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|
|    | G0629300<br>SAFETY RETAINER 828U                                 |    | G0629700<br>STOCK BOLT 828U           |
|    | G0630002<br>L.H. HINGE PIN 828U                                  |    | G0630100<br>BREECH BLOCK BUSHING 828U |
|    | G0630300<br>FIRING PIN 828U                                      |    | G0630400<br>FIRING PIN SPRING 828U    |
|    | G0630602<br>BARREL LOCKING PLATE 828U                            |    | G0630801<br>LOCKING PLATE SPRING 828U |
|    | G0631201<br>NICKEL TOP LEVER 828U                                |    | G0631400<br>LEVER LOCK PLUNGER 828U   |
|    | G0631500<br>LEVER LOCK SPRING 828U                               |    | G0631600<br>LEVER LOCK PIN 828U       |
|  | G0631701<br>LEVER LOCK BUSH 828U                                 |  | G0632400<br>DROP SHIM 45 828U         |
|  | G0632500<br>DROP SHIM 50 828U PIASTRINO VARIAZ.<br>PIEGA 50 828U |  | G0632600<br>DROP SHIM 55 828U         |
|  | G0632700<br>DROP SHIM 60 828U PIASTRINO VARIAZ.<br>PIEGA 60 828U |  | G0632800<br>DROP SHIM 65 828U         |
|  | G0632900<br>CAST SHIM 6MM 828U                                   |  | G0633000<br>CAST SHIM 3 MM 828U       |
|  | G0633401<br>FORE-END BUTTON 828U                                 |  | G0633900<br>FORE-END SPRING CAP 828U  |
|  | G0634001<br>FORE-END CATCH 828U                                  |  | G0634102<br>FOREND IRON GLOSS 828U    |
|  | G0636302<br>TRIGGER GUARD 828U                                   |  | G0636402<br>FIRE CONTROL HOUSING 828U |
|                                                                                     | G0636701                                                         |                                                                                     | G0636800                              |

|                                                                                                            |                                             |                                                                                                            |                                       |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------|
|                           | VERTICAL FORE-END ADJUSTING SCREW<br>828U   |                           | STRIKER 828U                          |
|                           | G0637402<br>SELECTOR INERTIA BLOCK 828U     |                           | G0637702<br>SEAR 828U                 |
|                           | G0637801<br>SEAR SPRING 828U                |                           | G0637900<br>TOP SEAR CONNECTOR 828U   |
|                           | G0638000<br>BOTTOM SEAR CONNECTOR 828U      |                           | G0638100<br>CONNECTOR SPACER 828U     |
|                           | G0638200<br>STRIKER RETAINING CLIP 828U     |                           | G0638300<br>CONNECTOR PIN 828U        |
|                           | G0638400<br>STRIKER SPRING 828U             |                           | G0638500<br>COCKING PLATE SPRING 828U |
|                         | G0640000<br>TRIGGER ASSBY REMOVAL TOOL 828U |                          | G0640101<br>CASE FOR ACCESSORIES 828U |
|                         | G0644700<br>BUFFER 828U                     | <br>Image Not Available | G0685900<br>TRIGGER GUARD SPRING 828U |
|                         | G0698302<br>BARREL LOCKING PIN D. 4.95 828U | <br>Image Not Available | G0777800<br>EJECTOR ROTATION PIN 828U |
| <br>Image Not Available | G0899000<br>LH WEAR PLATE 828U              | <br>Image Not Available | G0899100<br>RH WEAR PLATE 828U        |
| <br>Image Not Available | G0899200<br>LH HINGE PIN 828U               | <br>Image Not Available | G0899300<br>RH HINGE PIN 828U         |
| <br>Image Not Available | L0088501<br>RH EXTRACTOR 828U               | <br>Image Not Available | L0088601<br>LH EXTRACTOR 828U         |
|                         | MT_S033<br>SOVRAPPOSTO 828U SILVER          |                                                                                                            |                                       |